


# FEATURES

- A. Weld-free galvanized steel outer tank capable of holding 110% of the inner tank.
- B. Seamless high-density polyethylene inner tank.
- C. Highly visible optical leak alarm.
- D. 55% lighter than a 12-gauge steel tank with a larger storage capacity.
- E. Corrosion resistant steel filling system and external 2" thread, allowing for an even level in each tank when installed in groups.
- F. Burner feeding system consisting of a fusible link valve and check valve incorporated with supply and return port when using the optional Roth suction assembly.
- G. Cover for outside use.
- H. 10 years insurance up to \$5 million PLUS 15 years product warranty.



Roth Double Wall tanks are available in five sizes for storing domestic heating oil, diesel, and bio fuels (up to B20). Each can be installed alone or in groups of up to five tanks, depending on tank size and local codes, with common filling and venting pipes for supplying the central heating system.

**ASK ABOUT OTHER  
WESTERN PRODUCTS!**

**CALL US TODAY TO  
DISCUSS YOUR REQUIREMENTS'**

**WESTERN** 

Winnipeg, MB  
T 204-772-6525  
F 204-772-6597

E [info@westernspecialty.ca](mailto:info@westernspecialty.ca)



**SUPERIOR  
ENVIRONMENTAL  
COMPLIANCE**



**ULC APPROVED TANKS FOR  
STORAGE OF DOMESTIC  
HEATING OIL, DIESEL AND  
BIO FUELS UP TO B20 IN  
400, 620, 1000 AND 1500  
LITER CAPACITIES**

**WESTERN** 

# WESTERN PRESENTS ROTH DOUBLE WALLED TANKS.

## MORE FOR THE ENVIRONMENT

ROTH double-wall tanks are designed to offer the highest level of environmental protection.

Avoid oil spills and leaks caused by defective pipes, couplings or fittings which are located underneath the tank.

Every inner ROTH tank is made blow-molded, high-density polyethylene that is seamless, absolutely leak-proof and corrosion-resistant. In addition, ROTH tanks feature top connections to ensure the oil stays where it should.

The outer tank is made of leak-proof corrosion resistant steel which is capable of containing at least 110% of the capacity of the inner tank for maximum protection.

\* Subject to limitations and conditions described in the guarantee certificate, available upon request.

## INSTALLATION OF TANKS IS FASTER AND EASIER THAN EVER.

- Up to 50% lighter than conventional steel tanks.
- Wide handles on each end facilitate transport and handling.
- Removable base facilitates access to tight spaces and offers greater stability.
- Compact and economical design. (8 sq. ft. for 1000L)
- The only tanks on the market with no fittings below the oil line.
- Unique expansion system ensures increased storage capacity and faster, easier fill-ups.
- Completely sealed, every one of our tanks is pressure tested and meets exacting quality control standards.

## MORE FOR YOUR SAFETY

ROTH tanks are completely rust-free, inside and out.

Minimize the potential dangers and disasters of oil spills and leaks caused by corrosion.\*

The outer tank is made out of galvanized steel, rollseamed (no welds) and with an oil and fire resistant seal, making it one of the safest and most reliable tanks on the market.

ROTH uses state-of-the-art technology to ensure maximum storage safety and minimum space requirements.

More Quality

At ROTH, we refuse to compromise on material or construction

Forget about the problems of oil odors and the dangers of oil leaks.\*

\* Subject to limitations and conditions described in the guarantee certificate, available upon request.

ROTH tanks meet the strictest European safety standards and exceed the most recent industry safety regulations.



Quality control of our finished products is carried out according to exacting standards, ensuring consistent superior quality. Each tank undergoes thorough testing, including ultrasound tests to ensure optimal thickness of plastic and pressure testing to ensure the tank is sealed completely. ROTH tanks can be used for heating oil, diesel, and bio fuels. (Up to B20).

## More than 3 million tanks have been installed

Since 1971, more than 3 million ROTH tanks have been installed in Europe and North America.

No more purchasing a new tank every 10 years.\*

ROTH tanks last longer than ever before due to the outstanding quality and the unbeatable guarantee. That is why ROTH tanks enjoy such an enviable reputation.

Dimensions for individual tanks		Tank Model	DWT 400L	DWT 620L	DWT 1000L	DWT 1000LH	DWT 1500L
 <p>DWT 400L   DWT 620L   DWT 1000L   DWT 1000LH   DWT 1500L</p>	Nom. Capacity US gal (liters)		110 (400)	165 (620)	275 (1000)	275 (1000)	400 (1500)
	Length inches (cm)		29 (74)	29 (74)	43 (110)	51 (130)	64 (163)
	Width inches (cm)		28 (72)	28 (72)	28 (72)	30 (76)	30 (77)
	Height Inches (cm)		44 (112)	61 (155)	61 (155)	54 (137)	68 (173)
	Min Height Req'd inches (cm)		49 (125)	66 (168)	66 (168)	60 (152)	76 (193)
	Tank Weight lbs. (kg)		106 (48)	132 (60)	167 (76)	208 (94)	333 (151)
	Shipping Weight lbs. (kg)		115 (52)	143 (65)	185 (84)	230 (104)	358 (162)
Approximative Footprint for Multiple DWT Installations		Tank Model	DWT 400L	DWT 620L	DWT 1000L	DWT 1000LH	DWT 1500L
	2 Tanks (Side by Side)		29 x 60 (74 x 152)	29 x 60 (74 x 152)	43 x 60 (110 x 152)	51 x 63 (130 x 160)	64 x 63 (163 x 160)
	3 Tanks (Side by Side)		29 x 92 (74 x 234)	29 x 92 (74 x 234)	43 x 92 (110 x 234)	51 x 96 (130 x 244)	64 x 96 (163 x 244)
	4 Tanks (Side by Side)		29 x 124 (74 x 315)	29 x 124 (74 x 315)	43 x 124 (110 x 315)	51 x 129 (130 x 328)	N/A
	5 Tanks (Side by Side)		29 x 156 (74 x 397)	29 x 156 (74 x 397)	43 x 156 (110 x 397)	51 x 162 (130 x 411)	N/A
	2 Tanks (End to End)		N/A	N/A	28 x 90 (72 x 229)	N/A	N/A